

Bibliography

- Adolfsson, J., Dankowicz, H., and Nordmark, A. (1998). 3-D stable gait in passive bipedal mechanisms. *Proceedings of the European Mechanics Colloquium on Biology and Technology of Walking*.
- Alexander, R. M. (1980). Optimum walking techniques for quadrupeds and bipeds. *J. Zoology, London*, 192:97–117.
- Alexander, R. M. (1991). Energy-saving mechanisms in walking and running. *J. Exp. Biol*, 160:55–69.
- Alexander, R. M. (1995). Simple models of human motion. *Applied Mechanics Review*, 48:461–469.
- Andronov, A. A., Vitt, A. A., and Khaikin, S. E. (1966). *Theory Of Oscillators*. Pergamon Press, Oxford. Dover Edition Printed 1987.
- Bach, T. M., Evans, O. M., and Robinson, I. G. A. (1994). Optimization of inertial characteristics of the transfemoral limb prostheses using a computer simulation of human walking. *Proceedings of the Eighth Biennial Conference of the Canadian Society for Biomechanics*, pages 212–213.

- Basmajian, J. V. and Tuttle, R. (1973). EMG of locomotion in gorilla and man. In *Control of Posture and Locomotion*, pages 599–609. Plenum Press, New York.
- Bechstein, B. and Uhlig, P. (1912). Improvements in and relating to toys. German Patent, No. 7453 (257710).
- Beckett, R. and Chang, K. (1973). An evaluation of the kinematics of gait by minimum energy. *Journal of Biomechanics*, pages 147–159.
- Beletskii, V. V. (1990). Nonlinear effects in dynamics of controlled two-legged walking. In *Nonlinear Dynamics in Engineering Systems*, pages 17–26. Springer-Verlag.
- Bennet, R. and Cardanha, T. (1991). Dynamic keel project. Report on a dynamic keel to stabilize an otherwise unstable boat. Project advisor: Andy Ruina. Available from the Human Power, Biomechanics, and Robotics Lab at Cornell University.
- Bloch, A. M., Krishnaprasad, P. S., Marsden, J. E., and Murray, R. M. (1996). Nonholonomic mechanical systems with symmetry. *Arch. Rat. Mech. An.*, 136:21–99.
- Brach, R. M. (1991). *Mechanical Impact Dynamics: Rigid Body Collisions*. John Wiley and Sons, New York.
- Brogliato, B. (1996). *Nonsmooth Impact Mechanics: Models, Dynamics and Control*. Springer, London, UK.
- Camp, J. (1997). Powered “passive” dynamic walking. Masters of Engineering Project Report, Cornell University. Describes a simple, open-loop powering

scheme to produce stable gait on level ground for a two-link biped. Available from the Human Power, Biomechanics, and Robotics Lab at Cornell University.

Chatterjee, A. (1997). *Rigid Body Collisions: Some General Considerations, New Collision Laws, and Some Experimental Data*. PhD thesis, Cornell University.

Chatterjee, A. and Garcia, M. (1998). Small slope implies low speed in passive dynamic walking. Submitted to *Dynamics and Stability of Systems*.

Chatterjee, A. and Ruina, A. (1998). A new algebraic collision law based on impulse space considerations. Conditionally accepted for *Journal Of Applied Mechanics*, under revision.

Coleman, M., Chatterjee, A., and Ruina, A. (1997). Motions of a rimless spoked wheel: A simple 3D system with impacts. *Dynamics and Stability of Systems*, 12(3):139–160.

Coleman, M. J. (1998a). Personal communication. in reference to results from computer simulations.

Coleman, M. J. (1998b). *A Stability Study of a Three-dimensional Passive-Dynamic Model of Human Gait*. PhD thesis, Cornell University, Ithaca, NY.

Coleman, M. J. and Ruina, A. (1998). An uncontrolled walking toy that cannot stand still. *Physical Review Letters*, 80(16):3658–3661.

Collins, J. J. (1995). The redundant nature of locomotor optimization laws. *Journal of Biomechanics*, 28:251–267.

Craig, J. (1989). *Introduction to Robotics*. Addison-Wesley.

- Devaney, R. L. (1989). *An Introduction to Chaotic Dynamical Systems*. Addison-Wesley. Second Edition.
- Donn, J. M., Porter, D., and Roberts, V. C. (1989). The effect of footwear on the gait patterns of unilateral below-knee amputees. *Prosthetics and Orthotics International*, 13:140–144.
- Fallis, G. T. (1888). Walking toy. U. S. Patent, No. 376,588.
- Fowble, J. V. and Kuo, A. D. (1996). Stability and control of passive locomotion in 3D. *Proceedings of the Conference on Biomechanics and Neural Control of Movement*, pages 28–29.
- Garcia, M. (1998). *Stability, Scaling and Chaos in Passive-Dynamic Gait Models*. PhD thesis, Cornell University, Ithaca, NY.
- Garcia, M., Chatterjee, A., and Ruina, A. (1997). Speed, efficiency, and stability of small-slope 2-d passive dynamic bipedal walking. submitted for ICRA98, expanded version in preparation for *International Journal of Robotics Research*.
- Garcia, M., Chatterjee, A., Ruina, A., and Coleman, M. (1998). The simplest walking model: Stability, complexity, and scaling. *ASME Journal of Biomechanical Engineering*, 120(2):281–288.
- Garcia, M., Ruina, A., Coleman, M., and Chatterjee, A. (1996). Passive-dynamic models of human gait. *Proceedings of the Conference on Biomechanics and Neural Control of Movement*, pages 32–33.
- Goldstein, H. (1980). *Classical Mechanics*. Addison-Wesley Publishing Company Inc.

- Goswami, A., Espiau, B., and Keramane, A. (1996a). Limit cycles and their stability in a passive bipedal gait. *International Conference on Robotics and Automation*.
- Goswami, A., Espiau, B., and Keramane, A. (1997). Limit cycles in a passive compass gait biped and passivity-mimicking control laws. *Journal of Autonomous Robots*. In Press.
- Goswami, A., Thuilot, B., and Espiau, B. (1996b). Compass-like bipedal robot part I: Stability and bifurcation of passive gaits. *INRIA Research Report No. 2996*.
- Greenwood, D. (1988). *Principles Of Dynamics*. Prentice Hall, Englewood Cliffs, NJ.
- Grishin, A. A. and Formalskii, A. M. (1990). Control of bipedal walking robot by means of impulses of finite amplitude. *Izv. AN SSSR. Mekhanika Tverdogo Tela*, 25(2):67–74.
- Guckenheimer, J. and Holmes, P. (1983). *Nonlinear Oscillations, Dynamical Systems, and Bifurcations of Vector Fields*. Springer-Verlag, New York.
- Hand, R. S. (1988). Comparisons and stability analysis of linearized equations of motion for a basic bicycle model. Master's thesis, Cornell University, Ithaca, NY. Advisors: Andy Ruina & James Papadopoulos.
- Hatze, H. (1989). Neuromuscular control systems modeling: A critical survey of recent developments. *IEEE Transactions on Automatic Control*, AC-25:375–385.

- Holt, K. G., Jeng, S. F., Ratcliffe, R., and Hamill, J. (1991). Exploring the use of non-linear dynamics in the assessment of stability of human walking. *Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, 13:2212–2213.
- Howell, G. W. and Baillieul, J. (1998). Simple controllable walking mechanisms which exhibit bifurcations. To appear in *Proceedings of the 37th IEEE Conference on Decision and Control*.
- Hubbard, M. (1979). Lateral dynamics and stability of the skateboard. *Journal of Applied Mechanics*, 46:931–936.
- Hurmuzlu, Y. (1987a). Dynamics of bipedal gait I: Objective functions and the contact event of a planar five-link biped. *Journal of Applied Mechanics*, 60:331–336.
- Hurmuzlu, Y. (1987b). Dynamics of bipedal gait II: Stability analysis of a planar five-link biped. *Journal of Applied Mechanics*, 60:337–343.
- Hurmuzlu, Y., Basdogan, C., and Carollo, J. J. (1993). Presenting joint kinematics of human locomotion using phase plane portraits and poincaré maps. *Journal of Biomechanics*.
- Hurmuzlu, Y., Basdogan, C., and Stoianovici, D. (1996). Kinematics and dynamic stability of the locomotion of post-polio patients. *ASME Journal of Biomechanical Engineering*, 118:405–411.
- Hurmuzlu, Y. and Moskowitz, G. (1986). The role of impact in the stability of bipedal locomotion. *Dynamics and Stability of Systems*, 1:217–234.

- Jensen, R. K. (1993). Human morphology: Its role in the mechanics of movement. *Journal of Biomechanics*, 26:81–94.
- Ju, M.-S. and Mansour, J. M. (1988). Simulation of the double-limb support phase of human gait. *Journal of Biomechanical Engineering*, 110:223–229.
- Kato, R. and Mori, M. (1984). Control method of biped locomotion giving asymptotic stability of trajectory. *Automatica*, 20:405–414.
- Katz, A. (1994). *Subsonic Airplane Performance*. Society of Automotive Engineers, Warrendale, PA.
- Kawasaki, H., Murata, A., and Kanzaki, K. (1996). An efficient algorithm for generating manipulator inertia matrix using the minimum set of inertial parameters. *Journal of Robotic Systems*, 13(5):261–273.
- Khalil, W., Bennis, F., and Gautier, M. (1990). The use of generalized links to determine the minimum inertial parameters of robots. *Journal of Robotic Systems*, 7(2):225–242.
- Kobetic, R., Marsolais, E. B., and Chizeck, H. J. (1977). Control of kinematics in paraplegic gait by functional electrical stimulation. *Proceedings of the 10th Annual IEEE Conference on Engineering in Medicine and Biology*, page 1579.
- Kuo, A. D. (1998). Stabilization of lateral motion in passive dynamic walking. *International Journal Of Robotics Research*. submitted, in review.
- Lattanzio, H., Kuenzler, G., and Reading, M. (May 1992). Passive dynamic walking. Project Report, Human Power Lab. Cornell University.

- Lin, S.-K. (1995). Minimum linear combinations of the inertia parameters of a manipulator. *IEEE Transactions on Robotics and Automation*, 11(3):360–373.
- Luh, J. Y. S., Walker, M. W., and Paul, R. P. C. (1990). On-line computational scheme for mechanical manipulators. *Journal of Dynamic Systems, Measurement, and Control*, 102:69–76.
- Margaria, R. (1976). *Biomechanics and Energetics of Muscular Exercise*. Clarendon Press, Oxford.
- Marsden, J. and Tromba, A. (1976). *Vector Calculus*. W. H. Freeman and Co., San Francisco.
- McGeer, T. (1989). Powered flight, child’s play, silly wheels, and walking machines. Technical report, Simon Fraser University, Burnaby, British Columbia, Canada.
- McGeer, T. (1990a). Passive dynamic walking. *International Journal of Robotics Research*, 9:62–82.
- McGeer, T. (1990b). Passive walking with knees. *Proceedings of the IEEE Conference on Robotics and Automation*, 2:1640–1645.
- McGeer, T. (1991). Passive dynamic biped catalogue. In *Proceedings of the 2nd International Symposium of Experimental Robotics*. Springer-Verlag, New York.
- McGeer, T. (1992). Principles of walking and running. In *Advances in Comparative and Environmental Physiology*. Springer-Verlag, Berlin.
- McGeer, T. (1993a). Computer code for simulation of a 3-d biped. Personal Communication.

- McGeer, T. (1993b). Dynamics and control of bipedal locomotion. *Journal of Theoretical Biology*, 163:277–314.
- Miura, H. and Shimoyama, I. (1984). Dynamic walking of a biped. *International Journal of Robotics Research*, 3(2):60–74.
- Mochon, S. and McMahon, T. (1980). Ballistic walking: An improved model. *Mathematical Biosciences*, 52:241–260.
- Moon, F. C. (1992). *Chaotic And Fractal Dynamics: An Introduction For Applied Scientists And Engineers*. Wiley, New York.
- Nelson, W. L. (1983). Physical principles for economies of skilled movements. *Biological Cybernetics*, 46:135–147.
- Pandy, M. and Berme, N. (1988a). A numerical method for simulating the dynamics of human walking. *Journal of Biomechanics*, 21:1043–1051.
- Pandy, M. and Berme, N. (1988b). Synthesis of human walking: A planar model for single support. *Journal of Biomechanics*, 21:1053–1060.
- Pandy, M. and Berme, N. (1989). Qualitative assessment of gait determinants during single stance via a three-dimensional model - part i. normal gait. *Journal of Biomechanics*, 22(6/7):717–724.
- Raibert, M. H. (1986). *Legged Robots that Balance*. MIT Press, Cambridge, MA.
- Rand, R. H. (1994). *Topics In Nonlinear Dynamics With Computer Algebra*. Gordon and Breach Science Publishers.

- Rubanovich, E. M. and Formalskii, A. M. (1981). Some aspects of the dynamics of multiple-element systems associated with impact phenomena. *Izv. AN SSSR. Mekhanika Tverdogo Tela*, 16(2):166–174.
- Ruina, A. (1998). Non-holonomic stability aspects of piecewise holonomic systems. In press for *Reports on Mathematical Physics*.
- Seydel, R. (1988). *From Equilibrium to Chaos: Practical Bifurcation and Stability Analysis*. Elsevier Science Publishing.
- Strogatz, S. (1994). *Nonlinear Dynamics and Chaos*. Addison-Wesley, Reading, MA.
- Taga, G. (1991). Self-organized control of bipedal locomotion by neural oscillators in unpredictable environment. *Biological Cybernetics*, 65:147–159.
- Taga, G. (1995). A model of the neuro-musculo-skeletal system for human locomotion I: Emergence of basic gait. *Biological Cybernetics*, 73:97–111.
- Thuilot, B., Goswami, A., and Espiau, B. (1997). Bifurcation and chaos in a simple passive bipedal gait. *IEEE International Conference on Robotics and Automation*.
- Townshend, M. A. and Tsai, T. C. (1991). Biomechanics and modelling of bipedal climbing and descending. *Journal of Biomechanics*, 18:21–38.
- Vaida, P., Anton-Kuchly, B., and Varene, P. (1981). Mechanics and energetics of stilt walking. *Journal Of Applied Physiology*, 51(2):529–532.
- Winter, D. A. (1987). *The Biomechanics and Motor Control of Human Gait*. University of Waterloo Press.

- Yamaguchi, G. T. and Zajac, F. E. (1990). Restoring unassisted natural gait to paraplegics via functional neuromuscular stimulation: A computer simulation study. *IEEE Transactions on Biomedical Engineering*, 37:886–902.
- Yevmenenko, Y. (1996). Passive dynamic walker with knees: A stable physical model. Undergraduate project report describing construction of a physical walker, available from the Human Power, Biomechanics, and Robotics Lab at Cornell University.
- Yevmenenko, Y. (1997). Passive dynamic walker with knees: Construction and parameters. Continuation and addition to his 1996 undergraduate report, available from the Human Power, Biomechanics, and Robotics Lab at Cornell University.
- Zajac, F. E. and Winters, J. M. (1990). Modeling musculoskeletal movement systems: Joint and body segmental dynamics, musculoskeletal actuation, and neuromuscular control. In *Multiple Muscle Systems: Biomechanics and Movement Organization*, pages 121–148. Springer-Verlag.
- Zenkov, D., Bloch, A., and Marsden, J. (1997). The energy-momentum method for the stability of nonholonomic systems. Technical report, University of Michigan.